

Redwood Laminated



Further Product Information

DIMENSIONS

Redwood Laminated Finger Jointed 4 Sides Clear Stiles

- 40 x 100 x 6m 2 Ply x 20 x 100
- 63 x 63 x 6.0 ‐ 3ply
- 63 x 75 x 6.0 ‐ 3ply
- 63 x 95 x 6m 3 Ply x 21 x 95
- 63 x 123 x 6m 3 Ply x 21 x 123
- 100 x 40 / 48 x 4.2 ‐ 5ply
- 125 x 34 / 46 x 2.2 ‐ 6ply
- 155 x 34 x 46 x 2.2 ‐ 7ply

Redwood Laminated Finger Jointed 4 sides Clear Rails

- 48 x 200 x 6.0m 2 Ply x 16 x 100
- 63 x 197 x 6.0m 3 Ply x 21 x 98.5

ENVIRONMENTAL CREDENTIALS

Certification

FSC
PEFC

TECHNICAL INFORMATION

Moisture Content

14% +/- 2%

Glue Line

PVAC, D4

Joint Distance Finger Joints

150 – 900mm

Dimensional Tolerance

Max 0.5mm deviated on thickness/width

Length

1.0m / 6.0m

Lamella Thickness

0.5mm deviation, as long as total thickness conforms

Bow/Twist/Bend

1mm per lineal metre

Construction

Boards wider than 130mm will be edge glued on width