

Exceptional quality wooden

WINDOWS & DOORS

Quality where it counts

Unparalleled performance, finish and sustainability credentials make Accoya[®] the ideal material for windows and doors.

- Fewer call backs
 Accoya's stability means easier installation and less snagging saving you time, money and leaving you more time to grow your business
- More efficient handling and processing
 Accoya is lighter weight than hardwood and comes in fixed width sections based on common joinery sizes. Faster processing and less waste
- Excellent machinability
 Accoya's consistency and low level of grain raising makes it easy
 to work with and smoother to install and coat
- Ideal for coating
 Accoya allows you to offer a wide choice of coatings for different looks as well as enhanced performance
- **Sustainably sourced** Offer your customers the truly sustainable choice with a timber that's plantation grown, non toxic and provides significantly better U-Values than hardwood

Distributed by



PERFORMY

Sns

A sustainable REVOLUTION

Accoya high performance windows and doors out-perform traditional hard woods and in many cases, PVC and aluminium

Performance



Finish

VERY LOW MAINTENANCE

Sustainability



ENVIRONMENTAL

IDEAL FOR COATING



International Timber

Trafford Park – Trafford Wharf Road, Manchester M17 1DJ 0844 728 0340

Grangemouth – Earls Road, Grangemouth, Stirlingshire FK3 8UU 0844 728 0320

Parkend – Parkend Saw Mills, Folly Road, Lydney GL15 4JF 0844 728 0360

Purfleet – London Road, Purfleet RM19 1RE 0844 728 0390

info@internationaltimber.com www.internationaltimber.co.uk

> Accsys run an Approved Manufacturer Training Programme and we would encourage all manufacturers planning to use Accoya to contact their distributor or Accsys directly to arrange for this training programme. For architects please contact Accsys if you would like RIBA certified architects CPD presentation.

Available sizes

Available sizes shown below are set in millimetres (mm).

Thickness	Width	ıs				Grades	
	100	125	150	200	250		
25	1	1	1	1	✓*	A1, A2, B	* limited availability in A1 and A2 grades only
32		1	1	1		A1, A2, B	**See finger Joint leaflet for actual FJ
38		1	1	1	✓*	A1, A2, B	dimensions.
50	1	1	1	1	✓*	A1, FJ/A1**, A2	
63	1	1	1	1		A1, FJ/A1**, A2, B	
75	1	1	1	1		A1, FJ/A1**, A2	
100	1					A1, A2	

Other dimensions may be available upon request

Performance in every measure

For comparative wood species performance test data please see Accoya performance testing summary available on our website: www.accoya.com

Key benefit	Ассоуа	Sapele	Oak	Meranti	Iroko	Redwood
Lifespan	<i>」</i> ノノ	∕(∕)	✓(✓)	√(√)	11	1
Warranty	J J J J	N/A	N/A	N/A	N/A	N/A
Coatings performance*	<i>」」」</i>	11	1	1	1	~
Thermally insulating]]	1	1	1	1	11
Maintenance intervals	111	11	~	~	~	 Image: A second s

*Please see essential coatings guide for further information.

Copyright © Accsys Technologies 2020, Accsys Technologies is a trading name of Titan Wood Limited. Accsya® and the Trimarque Device are registered trademarks owned by Titan Wood Limited and may not be used or reproduced without written permission. EP3702993, EP9706379, EP0680810, EP1718442, EP09706379, EP13704063, EP13734851, EP14169338, EP14177290, EP14175220 together with corresponding patents in many other countries





Beautifully natural wooden





The seamless choice

Accoya® decking carries a 25 year warranty – a clear demonstration of its exceptional stability and durability in all climates.

- Highly stable
 Allowing you to achieve a quality finish with hidden fixings, minimal gaps and boards which remain flat
- Highly durable
 Ensuring satisfaction for years to come
- Excellent workability
 Accoya's consistency makes it easy to work with and smooth to install
- Sustainably sourced
 Accoya is a truly sustainable choice from origin to use
- Barefoot friendly
 Non toxic and cool in hot weather, Accoya is friendly for people and pets, as well as the environment

Distributed by



A sustainable REVOLUTION

Accoya out-performs traditional hard woods but has the natural, real wood beauty to out-shine plastic composites

Available sizes

Thickness

25

32

38

50

63

Performance



Finish

BAREFOOT FRIENDLY

Sustainability



NON TOXIC

NATURAL

WOOD

Other dimensions may be available upon request

Widths

125

/

Ϊ

100

/

Available sizes shown below are set in millimetres (mm).

150

1

/

1

/

200

1

/

/

Ϊ

Grades

A1, A2, B

A1. A2. B

A1, A2, B

A1, A2, B

A1, A2

Performance in every measure

For comparative wood species performance test data please see Accoya performance testing summary available on our website: **www.accoya.com**

Key benefit	Ассоуа	Plastic comps'	IPE	Massar- anduba	Treated softwood	Yellow Balau
Lifespan	111	Variable	///	11	~	//
Warranty	JJJ	11	N/A	N/A	N/A	N/A
Maintenance intervals*		1	1	1	1	1
Cupping	J J J J	111	11	11	1	1

*All decking will require cleaning at least once a year.

Copyright © Accsys Technologies 2020, Accsys Technologies is a trading name of Titan Wood Limited. Accoya® and the Trimarque Device are registered trademarks owned by Titan Wood Limited and may not be used or reproduced without written permission. EP3702993, EP9706379, EP0680810, EP1718442, EP09706379, EP13704063, EP13734851, EP14169338, EP14177290, EP14175220 together with corresponding patents in many other countries.



international timber

International Timber

Trafford Park – Trafford Wharf Road, Manchester M17 1DJ 0844 728 0340

Grangemouth – Earls Road, Grangemouth, Stirlingshire FK3 8UU 0844 728 0320

Parkend – Parkend Saw Mills, Folly Road, Lydney GL15 4JF 0844 728 0360

Purfleet – London Road, Purfleet RM19 1RE 0844 728 0390

info@internationaltimber.com www.internationaltimber.co.uk

Accsys run an Approved Manufacturer Training Programme and we would encourage all manufacturers planning to use Accoya to contact their distributor or Accsys directly to arrange for this training programme. For architects please contact Accsys if you would like RIBA certified architects CPD presentation.



Highly versatile wooden

CLADDING



Unparalleled creative potential

Accoya[®] sets the benchmark in wood for performance, finish and sustainability, giving architects and manufacturers new design freedom for wooden cladding.

- Wide boards available
 Giving your customers the design flexibility they desire.
- Maintains original form and shape
 Thanks to Accoya's stability, you'll spend less time achieving a quality finish and encountering problems at installation and in service.
- Appearance options The Accoya surface is particularly suited to a wide range of texturing options through sawing, brushing and charring. Or a combination. It's stability means black coatings are achievable with Accoya.
- Opportunities for adding value
 You can offer your clients a wide choice of coatings for different looks and enhanced performance.
- Sustainably sourced
 Offer your clients the truly sustainable choice they need to meet global environmental challenges.


Distributed by



A sustainable REVOLUTION

Accoya brings new levels of performance and design flexibility to what can be achieved with wooden cladding

Performance





Sustainability



100% RECYCLABLE

SOURCED

LOW ENVIRONMENTAL IMPACT

ernational

International Timber

Trafford Park – Trafford Wharf Road, Manchester M17 1DJ 0844 728 0340

Grangemouth – Earls Road, Grangemouth, Stirlingshire FK3 8UU 0844 728 0320

Parkend – Parkend Saw Mills, Folly Road, Lydney GL15 4JF 0844 728 0360

Purfleet – London Road, Purfleet RM19 1RE 0844 728 0390

info@internationaltimber.com www.internationaltimber.co.uk

Accsys run an Approved Manufacturer Training Programme and we would encourage all manufacturers planning to use Accoya to contact their distributor or Accsys directly to arrange for this training programme. For architects please contact Accsys if you would like RIBA certified architects CPD presentation.

Available sizes

Available sizes shown below are set in millimetres (mm).

Thickness	Width	ıs				Grades	
	100	125	150	200	250		
25	1	1	1	1	✓*	A1, A2, B	* limited availability in A1 and A2 grades only
32		1	1	1		A1, A2, B	**See finger Joint leaflet for actual FJ
38		1	1	1	✓*	A1, A2, B	dimensions.
50	1	1	1	1	✓*	A1, FJ/A1**, A2	
63	1	1	1	1		A1, FJ/A1**, A2, B	
75	1	1	1	1		A1, FJ/A1**, A2	
100	1					A1, A2	

Other dimensions may be available upon request

Performance in every measure

For comparative wood species performance test data please see Accoya performance testing summary available on our website: www.accoya.com

Key benefit	Αссоуа	Siberian Larch	Western Red Cedar	Oak	VG* Western Red Cedar
Lifespan	<i>」</i> ノノ	~	<i>」</i> ノ	✓(✓)	/ /
Warranty	<i>」」」</i>	N/A	N/A	N/A	N/A
Coatings performance	<i>」」」</i>	/ /	1	1	/ /
Stability	J J J J	×	1	×	11

*VG = Vertical Grain

Copyright © Accsys Technologies 2020, Accsys Technologies is a trading name of Titan Wood Limited. Accsya® and the Trimarque Device are registered trademarks owned by Titan Wood Limited and may not be used or reproduced without written permission. EP3702993, EP9706379, EP0680810, EP1718442, EP09706379, EP13704063, EP13734851, EP14169338, EP14177290, EP14175220 together with corresponding patents in many other countries.

