

# European Prime Beech

## BOTANICAL NAME

**Fagus sylvatica**

## Further Product Information

### APPLICATIONS & USES

Quality Joinery Manufacturing, Furniture, Mouldings, Door Frames, Flooring, Staircases

### DIMENSIONS

#### **Prime S/E Steamed Beech (Prime Square Edged European Beech)**

- 26mm
- 32mm
- 38mm
- 50mm
- 65mm
- 80mm

#### **Prime S/e Steamed Beech Pol 2.45m**

- 26mm Sanded (23.8mm)
- 32mm Sanded (29.5mm)
- 38mm Sanded (36.0mm)
- 52mm Sanded (48.5mm)
- 64mm Sanded (60.5mm )

#### **Prime S/e Steamed Beech Pol 3.05m**

- 26mm Sanded (23.8mm)
- 32mm Sanded (29.5mm)
- 38mm Sanded (36.0mm)
- 52mm Sanded (48.5mm)
- 64mm Sanded (60.5mm)

#### **Prime S/e Steamed Beech Pol 3.35m**

- 26mm Sanded (23.8mm)
- 32mm Sanded (29.5mm)



- 38mm Sanded (36.0mm)
- 52mm Sanded (48.5mm)
- 64mm Sanded (60.5mm)

**Prime S/e White Beech K/d**

- 26mm
- 32mm
- 38mm
- 50mm

**ENVIRONMENTAL CREDENTIALS**

**Certification**

FSC  
PEFC

**Origin**

France, Germany, Croatia, Romania

**TECHNICAL INFORMATION**

**Density**

720kg/m<sup>3</sup>

**Physical Structure**

Clear 1 face and better, allowing minor defects and very occasional colour on reverse

**Durability**

Non Durable (Good Fire Rating)

**Drying**

X

**Moisture Content**

13% Average

**Working Qualities**

X

**Glue Line**

X

**Supplied Finish**

Rough Sawn

**Storage Advice**

Under cover

**Wastage Allowance**

40% Recommended