

## Large Mouldings - American White Oak

### BOTANICAL NAME

**Quercus alba**

### OVERVIEW

Available Grades:-

FAS/FAS 1FACE 80/20

83% of one face free of defect such as knots, wane and sap



## Further Product Information

### APPLICATIONS & USES

Furniture, construction, joinery – windows, internal doors, internal cladding, interior flooring and mouldings

### DIMENSIONS

#### Large Mouldings (American White Oak)

- 12 x 70mm R2A Architrave
- 12 x 95mm R1A Skirting
- 15 x 70mm Ogee & Bead
- 15 x 95m Ogee & Bead
- 15 x 95m Ogee Skirting
- 15 x 120mm Ogee Skirting
- 15 x 145mm Ogee Skirting
- 20 x 69mm Bull Nosed
- 20 x 94mm Bull Nosed
- 20 x 69mm Torus Architrave
- 20 x 69mm Torus Architrave

- 20 x 144mm Torus/Ogee Skirting (Reversible)
- 20 x 169mm Torus/Ogee Skirting (Reversible)
- 20 x 67mm Dado Rail

## ENVIRONMENTAL CREDENTIALS

### **Certification**

FSC

### **Origin**

North America

## TECHNICAL INFORMATION

### **Physical Structure**

Good strength properties

### **Durability**

Durable

### **Moisture Content**

8-10%

### **Working Qualities**

Variable in working properties according to rate of growth, slow grown material provides a smooth finish. Stains and takes nails/screws

### **Supplied Finish**

Machined to profile

### **Storage Advice**

Product needs to be kept undercover in dry conditions

### **Stability**

Stable for internal applications, although for external applications if timber is not acclimatised can have a tendency to swell due to low initial