

European Redwood

BOTANICAL NAME

Pinus sylvestris



OVERVIEW

Graded to Nordic Grading Practice.
In Random (truck bundled) and Packaged to.
Length availability on request.

Further Product Information

APPLICATIONS & USES

Construction / Joinery / Furniture Easy to machine. High percentage of heartwood lends itself to many industrial applications. Hygroscopic and insulation properties assist in building

DIMENSIONS

Sawn Range (European Redwood)

- 25 x 200
- 25 x 175
- 32 x 150
- 32 x 138
- 32 x 125
- 32 x 100
- 25 x 225
- 25 x 150
- 25 x 100
- 19 x 150
- 19 x 125

- 19 x 100
- 50 x 150
- 50 x 100
- 25 x 100
- 32 x 225
- 38 x 100
- 38 x 125
- 38 x 150
- 38 x 175
- 38 x 200
- 38 x 225
- 44 x 125
- 25 x 150
- 25 x 125
- 25 x 100
- 19 x 150
- 19 x 125
- 100 x 200
- 100 x 100
- 75 x 225
- 75 x 175
- 75 x 150
- 75 x 125
- 75 x 100
- 63 x 225
- 63 x 200
- 63 x 175
- 100 x 225
- 100 x 100
- 75 x 225
- 75 x 200
- 75 x 150
- 75 x 125
- 75 x 100
- 63 x 225
- 63 x 200
- 63 x 175
- 63 x 150
- 50 x 250
- 50 x 225

- 50 x 200
- 50 x 175
- 50 x 150
- 50 x 125
- 50 x 100
- 38 x 225
- 38 x 200
- 38 x 175
- 38 x 150
- 38 x 125
- 38 x 100
- 32 x 225
- 32 x 175
- 32 x 175
- 25 x 225
- 25 x 200
- 25 x 175
- 50 x 225
- 50 x 200
- 50 x 175
- 50 x 150
- 50 x 125
- 50 x 100

ENVIRONMENTAL CREDENTIALS

Certification

FSC

PEFC

Origin

Scandinavia/Russia

TECHNICAL INFORMATION

Physical Structure

Dependent on height and latitude North Tall Straight Trunks Top log small live knots, middle logs dead knots, butt log nearly knot free

Durability

Non Durable

Moisture Content

Average 18%

Storage Advice

Under cover

Purchasing Cycle

Quarterly