

Planed Sections - European Redwood / Whitewood

BOTANICAL NAME

Pinus sylvestris / Picea abies



OVERVIEW

Our wide range of PSE sections in Redwood and Whitewood are stocked at all sites in 5th grade redwood, sawfalling whitewood, and unsorted specifications to order. Lengths to suit your requirements can be machined to instruction.

Available Grades:-

Unsorted 1- 4 / 5th Sound live knots, no blue stain, shakes or splits.

Further Product Information

APPLICATIONS & USES

Construction / Joinery / Furniture Easy to machine. High percentage of heartwood lends itself to many industrial applications. Hygroscopic and insulation properties assist in building

DIMENSIONS

European Redwood (Planed Sections)

- 50 x 50mm PSE
- 6 x 12mm PSE
- 6 x 18mm PSE
- 6 x 25mm PSE

- 6 x 34mm PSE
- 6 x 44mm PSE
- 9 x 21mm PSE
- 9 x 34mm PSE
- 9 x 45mm PSE
- 12 x 12mm PSE
- 12 x 21mm PSE
- 12 x 34mm PSE
- 12 x 45mm PSE
- 15 x 15mm PSE
- 20 x 20mm PSE
- 12 x 45mm PSE
- 12 x 70mm PSE
- 12 x 95mm PSE
- 12 x 120mm PSE
- 12 x 145mm PSE
- 19 x 75mm PSE
- 19 x 100mm PSE
- 19 x 150mm PSE
- 25 x 25mm PSE
- 25 x 50mm PSE
- 25 x 75mm PSE
- 25 x 100mm PSE
- 25 x 125mm PSE
- 25 x 150mm PSE
- 25 x 175mm PSE
- 25 x 200mm PSE
- 25 x 225mm PSE
- 32 x 38mm PSE
- 32 x 50mm PSE
- 32 x 75mm PSE
- 32 x 150mm PSE
- 32 x 175mm PSE
- 32 x 200mm PSE
- 32 x 225mm PSE
- 38 x 38mm PSE
- 38 x 50mm PSE
- 38 x 75mm PSE
- 38 x 100mm PSE
- 38 x 150mm PSE

- 38 x 175mm PSE
- 38 x 225mm PSE
- 50 x 75mm PSE
- 50 x 100mm PSE
- 50 x 125mm PSE
- 50 x 150mm PSE
- 75 x 75mm PSE
- 75 x 100mm PSE
- 100 x 100mm PSE

European Whitewood PSE (Planed Sections)

- 22 x 50mm PSE
- 22 x 75mm PSE
- 22 x 100mm PSE
- 22 x 125mm PSE
- 22 x 150mm PSE
- 22 x 225mm PSE
- 25 x 275mm PSE
- 32 x 275mm PSE
- 38 x 250mm PSE
- 38 x 275mm PSE

ENVIRONMENTAL CREDENTIALS

Certification

FSC
PEFC

Origin

Scandinavia/Russia

TECHNICAL INFORMATION

Physical Structure

Dependent on height and latitude North Tall Straight Trunks Top log small live knots, middle logs dead knots, butt log nearly knot free

Durability

Non Durable

Moisture Content

Average 18%

Special Cuts

Various (lengths and dimensions on request) S/O POA

Storage Advice

Under cover

Purchasing Cycle

Quarterly