

Redwood Window Board: Laminate



OVERVIEW

We are introducing International Timber's Laminate Redwood Window Board—a harmonious blend of nature's elegance and modern craftsmanship. This board not only **elevates the aesthetics of any space** elevates the aesthetics of any space but also serves as a durable solution for homes and commercial settings alike.

Timeless Beauty: Our laminate redwood window board effortlessly captures the intrinsic charm of redwood, presenting a visual treat with its naturally stunning grains and hues. The lustrous finish seamlessly **integrates with any décor style** integrates with any décor style, making it an ideal choice for contemporary and traditional settings. Please view our **other laminate products here** other laminate products here.

Versatile Function: While predominantly used as a window sill, this product's superior finish and build quality mean it can be employed as a redwood window trim, lending an air of sophistication to your window frames. The smooth surface ensures easy cleaning, and its resistance to everyday household spills means it retains its beauty over time.

Durability Meets Elegance: The laminate finish accentuates the redwood's natural beauty and adds an extra layer of protection. This means that our redwood window sill is not only a sight to behold but is built to withstand the tests of time, safeguarding its allure for years to come.

Sustainable Choice: At International Timber, we pride ourselves in our **sustainability** sustainability

commitment. Each laminate redwood window board is sourced responsibly, ensuring that while you bring home a piece of nature's art, you also contribute to its preservation.

Installation & Maintenance: Designed with the user in mind, the **installation process** installation process is straightforward. And when it comes to maintenance, a simple wipe is often all it takes to keep it looking its best.

Further Product Information

DIMENSIONS

Sash (Redwood Laminated)

- 63 x 63mm x 5.9m 3 Ply x 21 x 63
- 63 x 65mm x 6m 3 Ply x 21 x 63
- 72 x 75mm x 6m 3 Ply x 24 x 75

Sash Casement (Redwood Laminated)

- 63 x 75mm x 6m 3 Ply x 21 x 75
- 72 x 75 x 6.0 3 Ply

Frame (Redwood Laminated)

- 96 x 63mm x 6m 4 Ply x 24 x 63
- 96 x 76mm x 6m 4 Ply x 24 x 75
- 105 x 75 x 6.0 3 Ply

ENVIRONMENTAL CREDENTIALS

Certification

FSC
PEFC

TECHNICAL INFORMATION

Moisture Content

14% +/- 2%

Length

5.9m / 6.0m

Glue Line

PVAC, D4

Joint Distance Finger Joints

150 – 900mm

Dimensional Tolerance

Max 0.5mm deviated on thickness/width

Lamella Thickness

0.5mm deviation, as long as total thickness conforms

Bow/Twist/Bend

1mm per lineal metre

Construction

Boards wider than 30mm will be edge glued one joint in width