

## European Redwood Decking

### BOTANICAL NAME

**Pinus sylvestris**



### OVERVIEW

Available Grades:-

5th Grade

Live sound knots, no wane, no blue stain

### Reversible Decking

## Further Product Information

### APPLICATIONS & USES

Joinery – windows and doors, decking, cladding, construction

### DIMENSIONS

#### Deck Boards (Softwood Decking)

- 26 x 117mm Reversible
- 32 X 117mm Reversible
- 28 x 145mm Reversible

### **Rails (Softwood Decking)**

- 34 x 78mm x 2.4m to 5.4m Patterned Handrail
- 34 x 78mm x 2.4m to 5.4m Patterned Handrail
- 32 x 78mm x 2.4m to 5.4m Baserail
- 12 x 42mm x 2.4m to 5.1m Fillet

### **Posts (Softwood Decking)**

- 95 x 95mm x Rounded 4
- 82 x 82mm x 1.200m Rounded 4
- 82 x 82mm x 1.250m Chamfered & Bead
- 82 x 82mm x 1.200m Chamfered

### **Components (Softwood Decking)**

- 82 x 82mm x 1.200m Traditional Cap
- 41 x 41mm x 900mm Rounded 4 Corners
- 41 x 41mm x 895mm Turned
- 41 x 41mm x 895mm Chamfered

## **ENVIRONMENTAL CREDENTIALS**

### **Certification**

PEFC  
FSC

### **Origin**

Finland, Sweden, Denmark and Norway

## **TECHNICAL INFORMATION**

### **Physical Structure**

Strong and moderately hard

### **Durability**

AC500 vacuum pressure treatment and to user class 3 minimum 15 year desired life

### **Moisture Content**

16-18%

### **Working Qualities**

Capable of a smooth clean finish, stains and varnishes well

**Supplied Finish**

Machined to profile

**Storage Advice**

Under Cover